Viewpoint Parameters

OS reference: E324 200, N192 612

Ground Level Elevation: 417m AOD

Camera Height: 1.5m AGL

Direction of view to site centre³: 347°

Distance to nearest turbine: 3,597m

Number of blade tips theoretically visible⁴: 4

Number of hubs theoretically visible⁴: 4

Date and time of viewpoint photography: 06/03/2021 @ 10:59

Camera: Canon EOS 5D Mark II

Lens: 50mm (Canon 50mm f/1.2 GM)

Information on the limitations of visualisations:

Visualisations of wind farms have a number of limitations which you should be aware of when using them to form a judgement on a wind farm proposal. These include:

- A visualisation can never show exactly what the wind farm will look like in reality due to factors such as: different lighting, weather and seasonal conditions which vary through time and the resolution of the image;
- The images provided give a reasonable impression of the scale of the turbines and the distance to the turbines, but can never be 100% accurate;
- A static image cannot convey turbine movement, or flicker or reflection from the sun on the turbine blades as they move;
- The viewpoints illustrated are representative of views in the area, but cannot represent visibility at all locations;
- To form the best impression of the impacts of the wind farm proposal these images are best viewed at the viewpoint location shown;
- The images must be printed at the right size to be viewed properly (260mm by 820mm);
- You should hold the images flat at a comfortable arm's length. If viewing these images on a wall or board at an exhibition, you should stand at arm's length from the image presented.
- The ZTV presented here takes no account of the screening effects of vegetation or buildings.

Additional notes:

- This figure has been based on the following parameters:
- Turbine layout file: LTRECELYN001.WFL
- Hub height: 84.5m
- Rotor diameter: 117m
- Height to blade tip: 143m
- Turbine positions could be subject to micro-siting (typically up to 50m).
- 3. Direction given as bearing relative to Grid North (BNG).
- The number of turbine blades and hubs theoretically visible is counted from the wireframe in sets of 3 and ignores the screening effects of any intervening objects and forestry.
- 5. This figure is produced broadly in accordance with the Landscape Institute's Technical Guidance Note 6/19 (Type 4 Visualisation).

Client

Trecelyn Wind Farm Landscape and Visual Impact Assessment

Figure 6.23a Viewpoint 5: Twmbarlwn Iron Age Fort

WSD

C:\\\\sers\\\\KC! R775\\OneDrive - WSP \O365\\Temp \Windfarm\\Trecelvn\\n\Desirn\\\D51

Key

90° horizontal field of view 53.5° horizontal field of view

1


1 blade tip may be visible2 blade tips may be visible




3 blade tips may be visible4 blade tips may be visible


accordance with the Landscape
Technical Guidance Note 6/19 (

October 2023





East View Bryn Ysgawen Farm @ 14,761m Ferndale @ 25,088m Tyle Crwth @ 6,913m Llwyncelyn Farm @ 20,669m Twyn Hywel @ 10,346m Mynydd Y Glyn @ 20,279m Bryntail Farm @ 14,761m View flat at a comfortable arm's length Wireline drawing Figure 6.23d Viewpoint 5: Twmbarlwn Iron Age Fort Trecelyn Wind Farm Canon EOS 5D Mark II Landscape and Visual Impact Assessment Eye level: 418.5m AOD 50mm (Canon 50mm f/1.2 GM) 1.5m AGL Direction of view: Wind Farm Key:
Trecelyn Wind Farm
Existing
Consented
Application
Scoping October 2023







Photomontage

Canon EOS 5D Mark II 50mm (Canon 50mm f/1.2 GM) 1.5m AGL

Trecelyn Wind Farm Landscape and Visual Impact Assessment

Figure 6.23g Viewpoint 5: Twmbarlwn Iron Age Fort

Direction of view:

841mm x 297mm (half A1) Camera height: