Viewpoint Parameters

OS reference: E329 166, N206 055

Ground Level Elevation: 444m AOD

Camera Height: 1.5m AGL

Direction of view to site centre3: 213°

Distance to nearest turbine: 9,412m

Number of blade tips theoretically visible⁴:

Number of hubs theoretically visible4:

Date and time of viewpoint photography: 04/05/2023 @ 09:33

Canon EOS 5D Mk2

50mm (Canon EF 50mm f/1.8)

Information on the limitations of visualisations:

Visualisations of wind farms have a number of limitations which you should be aware of when using them to form a judgement on a wind farm proposal. These include:

- A visualisation can never show exactly what the wind farm will look like in reality due to factors such as: different lighting, weather and seasonal conditions which vary through time and the resolution of the image;
- The images provided give a reasonable impression of the scale of the turbines and the distance to the turbines, but can never be 100% accurate;
- A static image cannot convey turbine movement, or flicker or reflection from the sun on the turbine blades as they move;
- The viewpoints illustrated are representative of views in the area, but cannot represent visibility at all locations;
- To form the best impression of the impacts of the wind farm proposal these images are best viewed at the viewpoint location shown;
- The images must be printed at the right size to be viewed properly (260mm by 820mm);
- You should hold the images flat at a comfortable arm's length. If viewing these images on a wall or board at an exhibition, you should stand at arm's length from the image
- The ZTV presented here takes no account of the screening effects of vegetation or

Additional notes:

1. This figure has been based on the following parameters: Turbine layout file: LTRECELYN001.WFL

• Hub height: 84.5m

- Rotor diameter: 117m Height to blade tip: 143m
- 2. Turbine positions could be subject to micro-siting (typically up to 50m).
- 3. Direction given as bearing relative to Grid North (BNG).
- 4. The number of turbine blades and hubs theoretically visible is counted from the wireframe in sets of 3 and ignores the screening effects of any intervening objects and forestry.

Client

Trecelyn Wind Farm Landscape and Visual Impact Assessment

Figure 6.31a Viewpoint 13: Mynydd Garnclochdy, **Brecon Beacons National Park**




October 2023


90° horizontal field of view 53.5° horizontal field of view


1 blade tip may be visible 2 blade tips may be visible

3 blade tips may be visible

4 blade tips may be visible







View flat at a comfortable arm's length Wireline drawing Figure 6.31e Viewpoint 13: Mynydd Garnclochdy, Brecon Beacons National Park Trecelyn Wind Farm Canon EOS 5D Mk2 Landscape and Visual Impact Assessment 50mm (Canon EF 50mm f/1.8) Eye level: 1.5m AGL Direction of view: 841mm x 297mm (half A1) Camera height: October 2023 Wind Farm Key: Trecelyn Wind Farm



04/05/2023 09:33

C-VI leare\\ IKCI B225\OneDrive = \WSD O365\Temn\Windfar



Photomontage

Eye level: Direction of view:

841mm x 297mm (half A1) Camera height:

Canon EOS 5D Mk2 50mm (Canon EF 50mm f/1.8)

1.5m AGL

Trecelyn Wind Farm Landscape and Visual Impact Assessment

Figure 6.31g Viewpoint 13: Mynydd Garnclochdy, Brecon Beacons National Park

October 2023