Viewpoint Parameters

OS reference: E314 711, N215 924

Ground Level Elevation: 3395m AOD

Camera Height: 1.5m AGL

Direction of view to site centre3: 155°

Distance to nearest turbine: 20,066m

Number of blade tips theoretically visible⁴:

Number of hubs theoretically visible4:

Date and time of viewpoint photography: 26/08/2021 @ 15:38

Canon EOS 5D Mk2

50mm (Canon EF 50mm f/1.8)

Information on the limitations of visualisations:

Visualisations of wind farms have a number of limitations which you should be aware of when using them to form a judgement on a wind farm proposal. These include:

- A visualisation can never show exactly what the wind farm will look like in reality due to factors such as: different lighting, weather and seasonal conditions which vary through time and the resolution of the image;
- The images provided give a reasonable impression of the scale of the turbines and the distance to the turbines, but can never be 100% accurate;
- A static image cannot convey turbine movement, or flicker or reflection from the sun on the turbine blades as they move;
- The viewpoints illustrated are representative of views in the area, but cannot represent visibility at all locations;
- To form the best impression of the impacts of the wind farm proposal these images are best viewed at the viewpoint location shown;
- The images must be printed at the right size to be viewed properly (260mm by 820mm);
- You should hold the images flat at a comfortable arm's length. If viewing these images on a wall or board at an exhibition, you should stand at arm's length from the image
- The ZTV presented here takes no account of the screening effects of vegetation or

Additional notes:

1. This figure has been based on the following parameters:

Turbine layout file: LTRECELYN001.WFL

• Hub height: 84.5m

• Rotor diameter: 117m • Height to blade tip: 143m

- 2. Turbine positions could be subject to micro-siting (typically up to 50m).
- 3. Direction given as bearing relative to Grid North (BNG).
- 4. The number of turbine blades and hubs theoretically visible is counted from the wireframe in sets of 3 and ignores the screening effects of any intervening objects and forestry.

Client

Trecelyn Wind Farm Landscape and Visual Impact Assessment

Figure 6.42a Viewpoint 24: Trig point at Mynydd Llangynidr, Brecon Beacons National Park



October 2023

Key


102° horizontal field of view 53.5° horizontal field of view


blade tip may be visible 2 blade tips may be visible


3 blade tips may be visible

4 blade tips may be visible











Wind Farm Key: Trecelyn Wind Farm

841mm x 297mm (half A1)

1.5m AGL

Figure 6.42e Viewpoint 24: Trig point at Mynydd Llangynidr, Brecon Beacons National Park

October 2023



View flat at a comfortable arm's length

Eye level: Direction of view:

Photomontage

Canon EOS 5D Mk2 50mm (Canon EF 50mm f/1.8) 1.5m AGL

Trecelyn Wind Farm Landscape and Visual Impact Assessment

Figure 6.42g
Viewpoint 24: Trig point at Mynydd
Llangynidr, Brecon Beacons National
Park

October 2023